

Everyone experiences anxiety. However, when feelings of intense fear and distress are overwhelming and prevent us from doing everyday things, an anxiety disorder may be the cause. Anxiety disorders are the most common mental health concern in the United States. An estimated 40 million adults in the U.S., or 18%, have an anxiety disorder. Approximately 8% of children and teenagers experience the negative impact of an anxiety disorder at school and at home.

Symptoms

Just like with any mental illness, people with anxiety disorders experience symptoms differently. But for most people, anxiety changes how they function day-to-day. People can experience one or more of the following symptoms:

Emotional symptoms:

- Feelings of apprehension or dread
- Feeling tense and jumpy
- Restlessness or irritability
- Anticipating the worst and being watchful for signs of danger

Physical symptoms:

- Pounding or racing heart and shortness of breath
- Upset stomach
- Sweating, tremors and twitches
- Headaches, fatigue and insomnia
- Upset stomach, frequent urination or diarrhea

Types of Anxiety Disorders

Different anxiety disorders have various symptoms. This also means that each type of anxiety disorder has its own treatment plan. The most common anxiety disorders include:

- **Panic Disorder.** Characterized by panic attacks—sudden feelings of terror—sometimes striking repeatedly and without warning. Often mistaken for a heart attack, a panic attack causes powerful, physical symptoms including chest pain, heart palpitations, dizziness, shortness of breath and stomach upset.
- **Phobias.** Most people with specific phobias have several triggers. To avoid panicking, someone with specific phobias will work hard to avoid their triggers. Depending on the type and number of triggers, this fear and the attempt to control it can seem to take over a person's life.
- **Generalized Anxiety Disorder (GAD).** GAD produces chronic, exaggerated worrying about everyday life. This can consume hours each day, making it hard to concentrate or finish routine daily tasks. A person with GAD may become exhausted by worry and experience headaches, tension or nausea.
- **Social Anxiety Disorder.** Unlike shyness, this disorder causes intense fear, often driven by irrational worries about social humiliation—"saying something stupid," or "not knowing what to say." Someone with social anxiety disorder may not

participate in conversations, contribute to class discussions, or offer their ideas, and may become isolated. Panic attack symptoms are a common reaction.

Causes

Scientists believe that many factors combine to cause anxiety disorders:

- **Genetics.** Some families will have a higher than average numbers of members experiencing anxiety issues, and studies support the evidence that anxiety disorders run in families. This can be a factor in someone developing an anxiety disorder.
- **Stress.** A stressful or traumatic situation such as abuse, death of a loved one, violence or prolonged illness is often linked to the development of an anxiety disorder.

Diagnosis

The physical symptoms of an anxiety disorder can be easily confused with other medical conditions like heart disease or hyperthyroidism. Therefore, a doctor will likely perform a carefully evaluate involving a physical examination, an interview and ordering lab tests. After ruling out a medical illness, the doctor may recommend a person see a mental health professional to make a diagnosis.

Treatment

As each anxiety disorder has a different set of symptoms, the types of treatment that a mental health professional may suggest also can vary. But there are common types of treatment that are used:

- Psychotherapy, including cognitive behavioral therapy (CBT)
- Medications, including anti-anxiety medications and antidepressants
- Complementary health approaches, including stress and relaxation techniques.

See more at: <http://www.nami.org/Learn-More/Mental-Health-Conditions/Anxiety-Disorders>

Updated March 2015

NAMI
3803 N. Fairfax Drive, Suite 100
Arlington, VA 22203
www.nami.org
NAMI HelpLine: 800-950-NAMI (6264)
 [NAMI](#) |  [namicomunicate](#)

Coping Skills

Anxiety

Deep Breathing

Deep breathing is a simple technique that's excellent for managing emotions. Not only is deep breathing effective, it's also discreet and easy to use at any time or place.

Sit comfortably and place one hand on your abdomen. Breathe in through your nose, deeply enough that the hand on your abdomen rises. Hold the air in your lungs, and then exhale slowly through your mouth, with your lips puckered as if you are blowing through a straw. The secret is to go slow: Time the inhalation (4s), pause (4s), and exhalation (6s). Practice for 3 to 5 minutes.




Progressive Muscle Relaxation

By tensing and relaxing the muscles throughout your body, you can achieve a powerful feeling of relaxation. Additionally, progressive muscle relaxation will help you spot anxiety by teaching you to recognize feelings of muscle tension.

Sit back or lie down in a comfortable position. For each area of the body listed below, you will tense your muscles tightly, but not to the point of strain. Hold the tension for 10 seconds, and pay close attention to how it feels. Then, release the tension, and notice how the feeling of relaxation differs from the feeling of tension.

- Feet** Curl your toes tightly into your feet, then release them.
- Calves** Point or flex your feet, then let them relax.
- Thighs** Squeeze your thighs together tightly, then let them relax.
- Torso** Suck in your abdomen, then release the tension and let it fall.
- Back** Squeeze your shoulder blades together, then release them.
- Shoulders** Lift and squeeze your shoulders toward your ears, then let them drop.
- Arms** Make fists and squeeze them toward your shoulders, then let them drop.
- Hands** Make a fist by curling your fingers into your palm, then relax your fingers.
- Face** Scrunch your facial features to the center of your face, then relax.
- Full Body** Squeeze all muscles together, then release all tension.

The Cycle of Anxiety



Anxiety

An anxiety-producing situation leads to uncomfortable symptoms such as worry, fear, a racing heart, sweating, or a feeling of being overwhelmed.

Avoidance

Uncomfortable symptoms are controlled by avoiding the anxiety-producing situation. Examples of avoidance include:

- Skipping class to avoid giving a presentation
- Using drugs or alcohol to numb feelings
- Procrastinating on challenging tasks

Short-Term Relief from Anxiety

Avoidance of the anxiety-producing situation gives an immediate sense of relief. The symptoms of anxiety lessen, but only temporarily.

Long-Term Anxiety Growth

The fear that initially led to avoidance worsens, and the brain learns that when the anxiety-producing situation is avoided, the symptoms go away. As a result, the symptoms of anxiety will be worse the next time, and avoidance is more likely.

Coping Skills

Anxiety

Challenging Irrational Thoughts

Anxiety can be magnified by irrational thoughts. For example, the thoughts that “something bad will happen” or “I will make a mistake” might lack evidence, but still have an impact on how you feel. By examining the evidence and challenging these thoughts, you can reduce anxiety.

Put thoughts on trial. Choose a thought that has contributed to your anxiety. Gather evidence in support of your thought (*verifiable facts only*), and against your thought. Compare the evidence and determine whether your thought is accurate or not.

Use Socratic questioning. Question the thoughts that contribute to your anxiety. Ask yourself:

“Is my thought based on facts or feelings?”

“How would my best friend see this situation?”

“How likely is it that my fear will come true?”

“What’s *most likely* to happen?”

“If my fear comes true, will it still matter in a week? A month? A year?”

Imagery

Your thoughts have the power to change how you feel. If you think of something sad, it’s likely you’ll start to feel sad. The opposite is also true: When you think of something positive and calming, you feel relaxed. The imagery technique harnesses this power to reduce anxiety.

Think of a place that you find comforting. It could be a secluded beach, your bedroom, a quiet mountaintop, or even a loud concert. For 5 to 10 minutes, use all your senses to imagine this setting in great detail. Don’t just think fleetingly about this place—really imagine it.



What do you see around you? What do you notice in the distance? Look all around to take in all your surroundings. Look for small details you would usually miss.



What sounds can you hear? Are they soft or loud? Listen closely to everything around you. Keep listening to see if you notice any distant sounds.



Are you eating or drinking something enjoyable? What is the flavor like? How does it taste? Savor all the tastes of the food or drink.



What can you feel? What is the temperature like? Think of how the air feels on your skin, and how your clothes feel on your body. Soak in all these sensations.



What scents are present? Are they strong or faint? What does the air smell like? Take some time to appreciate the scents.

Grounding Techniques

After a trauma, it's normal to experience flashbacks, anxiety, and other uncomfortable symptoms. **Grounding techniques** help control these symptoms by turning attention away from thoughts, memories, or worries, and refocusing on the present moment.

5-4-3-2-1 Technique

Using the 5-4-3-2-1 technique, you will purposefully take in the details of your surroundings using each of your senses. Strive to notice small details that your mind would usually tune out, such as distant sounds, or the texture of an ordinary object.



What are 5 things you can see? Look for small details such as a pattern on the ceiling, the way light reflects off a surface, or an object you never noticed.



What are 4 things you can feel? Notice the sensation of clothing on your body, the sun on your skin, or the feeling of the chair you are sitting in. Pick up an object and examine its weight, texture, and other physical qualities.



What are 3 things you can hear? Pay special attention to the sounds your mind has tuned out, such as a ticking clock, distant traffic, or trees blowing in the wind.



What are 2 things you can smell? Try to notice smells in the air around you, like an air freshener or freshly mowed grass. You may also look around for something that has a scent, such as a flower or an unlit candle.



What is 1 thing you can taste? Carry gum, candy, or small snacks for this step. Pop one in your mouth and focus your attention closely on the flavors.

Categories

Choose at least three of the categories below and name as many items as you can in each one. Spend a few minutes on each category to come up with as many items as possible.

Movies	Countries	Books	Cereals
Sports Teams	Colors	Cars	Fruits & Vegetables
Animals	Cities	TV Shows	Famous People

For a variation on this activity, try naming items in a category alphabetically. For example, for the fruits & vegetables category, say "apple, banana, carrot," and so on.

Grounding Techniques

Body Awareness

The body awareness technique will bring you into the here-and-now by directing your focus to sensations in the body. Pay special attention to the physical sensations created by each step.

1. Take 5 long, deep breaths through your nose, and exhale through puckered lips.
2. Place both feet flat on the floor. Wiggle your toes. Curl and uncurl your toes several times. Spend a moment noticing the sensations in your feet.
3. Stomp your feet on the ground several times. Pay attention to the sensations in your feet and legs as you make contact with the ground.
4. Clench your hands into fists, then release the tension. Repeat this 10 times.
5. Press your palms together. Press them harder and hold this pose for 15 seconds. Pay attention to the feeling of tension in your hands and arms.
6. Rub your palms together briskly. Notice and sound and the feeling of warmth.
7. Reach your hands over your head like you're trying to reach the sky. Stretch like this for 5 seconds. Bring your arms down and let them relax at your sides.
8. Take 5 more deep breaths and notice the feeling of calm in your body.

Mental Exercises

Use mental exercises to take your mind off uncomfortable thoughts and feelings. They are discreet and easy to use at nearly any time or place. Experiment to see which work best for you.

- Name all the objects you see.
- Describe the steps in performing an activity you know how to do well. For example, how to shoot a basketball, prepare your favorite meal, or tie a knot.
- Count backwards from 100 by 7.
- Pick up an object and describe it in detail. Describe its color, texture, size, weight, scent, and any other qualities you notice.
- Spell your full name, and the names of three other people, backwards.
- Name all your family members, their ages, and one of their favorite activities.
- Read something backwards, letter-by-letter. Practice for at least a few minutes.
- Think of an object and "draw" it in your mind, or in the air with your finger. Try drawing your home, a vehicle, or an animal.